

1.1. Product identifier

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 16-Dec-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Safety data sheet number	FG-7919	
Product Name	Free Form Detailer Smooth-Solv	
Other means of identification		
Unique Formula Identifier (UFI)	0810-X01F-G008-YJW7	
Pure substance/mixture	Mixture	
Contains Naphtha, petroleum, hydrot	reated heavy; 2-Butoxyethanol; D-Limonene	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
Recommended use	Sculpting Aid and Solvent	
Uses advised against	No information available	
1.3. Details of the supplier of the sa	afety data sheet	
<u>Supplier</u> Smooth-On, Inc, 5600 Lower Macungie Rd, Macungie, PA 18062, USA, Phone: +01.610.252.5800, www.smooth-on.com, sds@smooth-on.com <u>For further information, please contact</u>		
E-mail address	sds@smooth-on.com	
1.4. Emergency telephone number	_	
Emergency Telephone	CHEMTEL +01-813-248-0585	
Emergency Telephone - §45 - (EC)1272/2008	
Europe	112	
Austria	01 406 43 43	
Belgium	070 245 245	
Bulgaria	+359 9154 233	
Croatia	+385 1 2348 342	
Cyprus	1401	
Czech Republic	224 91 92 93 22191 54 02	
Denmark	+45 8212 1212	
Denmark Estonia	+45 8212 1212 16662	
	16662 Maksuton Puhelu: 0800 147 111	
Estonia	16662	

Germany	112
Greece	(0030) 2107793777
Hungary	+36 80 201 199
Iceland	+354 543 2222
Ireland	01 837 9964
	01 809 2566
Italy	06 3054 343
Latvia	+370 (5) 2362052
Liechtenstein	01 406 43 43
Lithuania	+370 5 236 20 52
	+370 687 533 78
Luxembourg	(+352) 8002 5500
Netherlands	+31 (0) 88 755 8000
Norway	22 59 13 00
Poland	+48 22 619 66 54
Portugal	+351 800 250 250
Romania	+40 21 599 2300
Slovakia	+421 2 5477 4166
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	0344 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids	Category 3 - (H226)
Acute toxicity - Inhalation (Vapors)	Category 4 - (H332)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Germ cell mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1B - (H350)
Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Contains Naphtha, petroleum, hydrotreated heavy; 2-Butoxyethanol; D-Limonene



Signal word Danger

Hazard statements

H226 - Flammable liquid and vapor. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H340 - May cause genetic defects.

H350 - May cause cancer.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 - Do NOT induce vomiting.

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish.

P403 + P235 - Store in a well-ventilated place. Keep cool.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Naphtha, petroleum,	50 - 100	01-2119471991-29-00	265-150-3	Asp. Tox. 1 (H304)	-	-	-
hydrotreated heavy		13	(649-327-00				
64742-48-9			-6)				
2-Butoxyethanol	10 - 30	No data available	203-905-0	Acute Tox. 4 (H302)	-	-	-
111-76-2			(603-014-00	Acute Tox. 3 (H331)			
			-0)	Skin Irrit. 2 (H315)			
				Eye Irrit. 2 (H319)			
D-Limonene	1 - 15	No data available	227-813-5	Skin Irrit. 2 (H315)	-	1	1
5989-27-5			(601-096-00	Skin Sens. 1B (H317)			
			-2)	Asp. Tox. 1 (H304)			
				Aquatic Acute 1 (H400)			
				Aquatic Chronic 3			
				(H412)			
				Flam. Liq. 3 (H226)			

If "No data available" is reported in the REACH Registration Number column, then the chemical substance is imported in quantities that are below the REACH registration threshold or are otherwise exempt from registration "Below import reportable quantity threshold or otherwise exempt"

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Naphtha, petroleum, hydrotreated heavy 64742-48-9	6000	5000	No data available	No data available	No data available
2-Butoxyethanol 111-76-2	1200 <i>+</i> 470	435	No data available	3+ 2.1749 2.3489	No data available
D-Limonene 5989-27-5	5200 4400	5000	No data available	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	May cause cancer. Mutagenic effects.
4.3. Indication of any immediate r	nedical attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is

justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from th	e substance or mixture
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Product is or contains a sensitizer. May cause sensitization by skin contact.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1- Recommendations for those who intervene directly

No information available.

6.1.2.- Recommendations for those who do not intervene directly

No information available.

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapor or mist.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	

Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
6.3. Methods and material for contain	inment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Do not breathe vapor or mist. Handle product only in closed system or provide appropriate exhaust ventilation.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.
Storage class (TRGS 510)	Storage class 3.
7.3. Specific end use(s)	

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
2-Butoxyethanol	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm
111-76-2	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 98 mg/m ³
	STEL: 50 ppm	STEL 40 ppm	STEL: 50 ppm	STEL: 50 ppm	STEL: 50 ppm
	STEL: 246 mg/m ³	STEL 200 mg/m ³	STEL: 246 mg/m ³	STEL: 246 mg/m ³	STEL: 246 mg/m ³
	Sk*	Sk*	Sk*	Sk*	Sk*
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
2-Butoxyethanol	TWA: 20 ppm	TWA: 100 mg/m ³	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm
111-76-2	TWA: 98 mg/m ³	Sk*	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 98 mg/m ³
	STEL: 50 ppm STEL: 246 mg/m ³	Ceiling: 200 mg/m ³	STEL: 246 mg/m ³ STEL: 50 ppm	STEL: 50 ppm STEL: 246 mg/m ³	STEL: 50 ppm STEL: 250 mg/m ³
	STEL. 240 mg/m² Sk*		STEL: 50 ppm Sk*	STEL. 240 mg/m² Sk*	STEL. 250 mg/m² Sk*
	UK		OK	SH	ÖK
D-Limonene	-			TWA: 25 ppm	TWA: 25 ppm
5989-27-5				TWA: 150 mg/m ³	TWA: 140 mg/m ³
				STEL: 50 ppm	STEL: 50 ppm
				STEL: 300 mg/m ³	STEL: 280 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Naphtha, petroleum,	-	-	TWA: 50 ppm	-	-
hydrotreated heavy			TWA: 300 mg/m ³		
64742-48-9			Peak: 100 ppm		
			Peak: 600 mg/m ³		
2-Butoxyethanol	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 25 ppm	TWA: 20 ppm
111-76-2	TWA: 49 mg/m ³	TWA: 49 mg/m ³	TWA: 49 mg/m ³	TWA: 120 mg/m ³	TWA: 98 mg/m ³
	STEL: 50 ppm	Sk*	Peak: 20 ppm	Sk*	STEL: 50 ppm
	STEL: 246 mg/m ³		Peak: 98 mg/m³ Sk*		STEL: 246 mg/m ³
D-Limonene	Sk* TWA: 1000 mg/m ³	TWA: 5 ppm	TWA: 5 ppm	_	Sk*
5989-27-5	STEL: 1500 mg/m ³	TWA: 28 mg/m ³	TWA: 28 mg/m ³	-	-
5505-21-5		Sk*	Peak: 20 ppm		
		Sh+	Peak: 112 mg/m ³		
			Sk*		
			skin sensitizer		
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
2-Butoxyethanol	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 10 ppm
111-76-2	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 97 mg/m ³	TWA: 98 mg/m ³	TWA: 50 mg/m ³
	STEL: 50 ppm	STEL: 50 ppm		STEL: 50 ppm	STEL: 20 ppm
	STEL: 246 mg/m ³	STEL: 246 mg/m ³		STEL: 246 mg/m ³	STEL: 100 mg/m ³
Dimonse	Sk*	Sk*		Sk*	Sk*
D-Limonene 5989-27-5	-	-	-	-	TWA: 25 ppm TWA: 150 mg/m ³
5969-27-5					STEL: 50 ppm
					STEL: 300 mg/m ³
					J+
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Naphtha, petroleum,	-	-	-	-	TWA: 300 mg/m ³
hydrotreated heavy					STEL: 900 mg/m ³
64742-48-9					
2-Butoxyethanol	TWA: 20 ppm	TWA: 20 ppm	TWA: 20.4 ppm	TWA: 10 ppm	TWA: 98 mg/m ³
111-76-2	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 100 mg/m ³	TWA: 50 mg/m ³	STEL: 200 mg/m ³
	STEL: 50 ppm	STEL: 50 ppm	STEL: 50 ppm	STEL: 20 ppm	Sk*
	STEL: 246 mg/m ³	STEL: 246 mg/m ³	STEL: 246 mg/m ³	STEL: 75 mg/m ³	

	Sk'	r	Sk*	Sk*	Sł	(*	
D-Limonene	-		-	-	TWA: 2		-
5989-27-5					TWA: 14	U U	
					STEL: 3		
					STEL: 17	•	
Chemical name	Dortu	~ol	Romania	Slovakia	A- Slove	-	Spain
	Portu				0.0.1		
2-Butoxyethanol 111-76-2	TWA: 20 TWA: 98		TWA: 20 ppm TWA: 98 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³	TWA: 2 TWA: 98		TWA: 20 ppm TWA: 98 mg/m ³
111-70-2	STEL: 50		STEL: 50 ppm	Sk*	STEL: 5		STEL: 50 ppm
	STEL: 246		STEL: 246 mg/m ³	Ceiling: 246 mg/m ³	STEL: 24		STEL: 245 mg/m ³
	STLL. 240		STEE. 240 mg/m² Sk*		STEE. 24		STEE. 245 mg/m² Sk*
D-Limonene	-		-	_	TWA: 28	-	TWA: 30 ppm
5989-27-5					TWA:		TWA: 168 mg/m ³
					STEL: 2		Sk*
					STEL: 11		Sen+
					Sł	(*	
Chemical name	1		Sweden	Switzerland		Ur	nited Kingdom
Naphtha, petroleum, hyd	rotreated		-	TWA: 50 pr	om		-
heavy				TWA: 300 m	0		
64742-48-9				STEL: 100 p			
				STEL: 600 m	<u>v</u>		
2-Butoxyethano	I	NGV: 10 ppm		TWA: 10 ppm		TWA: 25 ppm	
111-76-2		NGV: 50 mg/m ³		TWA: 49 mg/m ³		TWA: 123 mg/m ³	
		Bindande KGV: 50 ppm		STEL: 20 ppm		STEL: 50 ppm	
		Bindande KGV: 246 mg/m ³				STEL: 246 mg/m ³	
		Sk*	Sk*		Sk*		
D-Limonene			NGV: 25 ppm	TWA: 7 ppm			-
5989-27-5		N	GV: 150 mg/m ³	TWA: 40 mg/m ³			
			S+	STEL: 14 p			
				STEL: 80 mg	g/m³		
				S+			

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
2-Butoxyethanol	-	-	-	-	200 mg/g Creatinine
111-76-2					(urine - Butoxyacetic
					acid end of shift at
					end of workweek)
					0.17 mmol/mmol
					Creatinine (urine -
					Butoxyacetic acid
					end of shift at end of
					workweek)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
2-Butoxyethanol	-	-	-		150 mg/g Creatinine
111-76-2					(urine - Butoxyacetic
				acid (after	acid (after
				hydrolysis) for	
				long-term	long-term
				exposures: at the	
					end of the shift after
				several shifts)	
					150 mg/g Creatinine
					(urine - Butoxyacetic
				acid (after	acid (after
				hydrolysis) end of	hydrolysis) end of

						shift) 150 mg/g Creatir - BAT (for long-te exposures: at th end of the shift a several shifts) ur	erm he fter
Chemical name	Hungary	4	Ire	land	lta	aly MDLPS	Italy AIDII
2-Butoxyethanol 111-76-2	-			Creatinine and of shift)		-	200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift
Chemical name	Slovenia	a	Sp	bain	S	Switzerland	United Kingdom
2-Butoxyethanol 111-76-2	150 mg/g Crea urine (Butoxyac (after hydrolys the end of the w for long-term e) at the end of th shift after se consecutive wo	etic acid is)) - at ork shift; kposure: ne work veral	(urine - Be acid (with	Creatinine utoxyacetic hydrolysis) of shift)	(urine - acid (a end of seve	ng/g creatinine - 2-Butoxyacetic after hydrolysis) f shift, and after eral shifts (for erm exposures))	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Naphtha, petroleum, hydrotreated	-	-	1286.4 mg/m ³ [4] [7]
heavy			837.5 mg/m³ [5] [6]
64742-48-9			1066.67 mg/m ³ [5] [7]
2-Butoxyethanol	-	125 mg/kg bw/day [4] [6]	98 mg/m³ [4] [6]
111-76-2		89 mg/kg bw/day [4] [7]	1091 mg/m ³ [4] [7]
			246 mg/m ³ [5] [7]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Naphtha, petroleum, hydrotreated	-	-	1152 mg/m³ [4] [7]
heavy			178.57 mg/m³ [5] [6]
64742-48-9			640 mg/m³ [5] [7]
2-Butoxyethanol	6.3 mg/kg bw/day [4] [6]	89 mg/kg bw/day [4] [6]	59 mg/m³ [4] [6]
111-76-2	26.7 mg/kg bw/day [4] [7]	89 mg/kg bw/day [4] [7]	426 mg/m ³ [4] [7]
			147 mg/m ³ [5] [7]

Notes	
[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
2-Butoxyethanol 111-76-2	8.8 mg/L	26.4 mg/L	0.88 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
2-Butoxyethanol 111-76-2	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	463 mg/L	2.33 mg/kg soil dw	0.02 g/kg food

8.2. Exposure controls

Engineering controls	No information available.
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	nd chemical properties
Physical state	Liquid
Appearance	Liquid
Color	clear
Odor	Mild petroleum / solvent.
Odor threshold	No information available
Property_	Values
Melting point / freezing point	No data available
Initial boiling point and boiling range	eNo data available
Flammability	No data available
Flammability Limit in Air	
Upper flammability or explosive	No data available

Remarks • Method None known

None known None known None known

limits		
Lower flammability or explosive	No data available	
limits		
Flash point	> 43.889 °C / 111 °F	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	< 100 Centipoise	None known
Water solubility	Negligible	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapor pressure	No data available	None known
Relative density	0.78	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Toxic by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Repeated exposure may cause skin dryness or cracking. Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
	Redness. May cause redness and tearing of the eyes.

Acute toxicity Toxic by inhalation.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	4,165.70 mg/kg
ATEmix (dermal)	2,375.20 mg/kg
ATEmix (inhalation-vapor)	> 10 mg/l
ATEmix (inhalation-dust/mist)	> 1 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrotreated heavy	> 6000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
2-Butoxyethanol	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	3 mg/l (Vapor)
D-Limonene	= 5200 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
	= 4400 mg/kg (Rat)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization	May cause an allergic skin reaction.
-----------------------------------	--------------------------------------

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Naphtha, petroleum, hydrotreated heavy	Muta. 1B
	<u></u>

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemica	Iname	European Union
Naphtha, petroleum,	hydrotreated heavy	Carc. 1B
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	
Aspiration hazard	May be fatal if swallowed and en	ters airways.
11.2. Information on other hazards	<u>8</u>	
11.2.1. Endocrine disrupting prop	erties	
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	
SECTION 12: Ecological it	formation	

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Naphtha, petroleum,	-	LC50: =2200mg/L (96h,	-	-
hydrotreated heavy		Pimephales promelas)		
2-Butoxyethanol	-	LC50: =1490mg/L (96h,	-	EC50: >1000mg/L (48h,
		Lepomis macrochirus)		Daphnia magna)
		LC50: =2950mg/L (96h,		
		Lepomis macrochirus)		
D-Limonene	-	LC50: 0.619 -	-	-
		0.796mg/L (96h,		
		Pimephales promelas)		

LC50: =35mg/L (96h,	
Oncorhynchus mykiss)	

12.2. Persistence and degradability

Persistence and degradability	No information available.
-------------------------------	---------------------------

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
2-Butoxyethanol	0.81
D-Limonene	4.38

12.4. Mobility in soil

Mobility in soil No information available. 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Naphtha, petroleum, hydrotreated heavy	The substance is not PBT / vPvB
2-Butoxyethanol	The substance is not PBT / vPvB
D-Limonene	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

<u>IATA</u>	<u>_</u>	
14.1	UN number or ID number	1268
14.2	UN proper shipping name	Petroleum distillates, n.o.s. (Naphtha Solvent)
14.3	Transport hazard class(es)	3
14.4	Packing group	III
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	

Special Provisions	None
IMDG14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special precautions for user Special Provisions14.7Maritime transport in bulk according to IMO instruments	1268 Petroleum distillates, n.o.s. (Naphtha Solvent) 3 III Not applicable None No information available
RID14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special precautions for user Special Provisions	1268 Petroleum distillates, n.o.s. (Naphtha Solvent) 3 III Not applicable None
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	1268 Petroleum distillates, n.o.s. (Naphtha Solvent) 3 III Not applicable None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Naphtha, petroleum, hydrotreated heavy - 64742-48-9	RG 84
2-Butoxyethanol - 111-76-2	RG 84
D-Limonene - 5989-27-5	RG 84

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	•	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Naphtha, petroleum, hydrotreated heavy -	28	-
64742-48-9	29	

	75	
2-Butoxyethanol - 111-76-2	75	-
D-Limonene - 5989-27-5	75	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU) H2 - ACUTE TOXIC

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Naphtha, petroleum, hydrotreated heavy -	-	25000
64742-48-9		

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
D-Limonene - 5989-27-5	Plant protection agent

International Inventories	
TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIOC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

```
15.2. Chemical safety assessment
```

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H226 Flammable liquid and vapor
- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H331 Toxic if inhaled
- H400 Very toxic to aquatic life
- H412 Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitization	Calculation method	
Skin sensitization	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	
Flammable liquids	On basis of test data	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 16-Dec-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet